



## 数字驾驶舱

Driver's work place

# 数字驾驶舱 SDP0301

## Driver's Work Place SDP0301



### 产品简介 Product description


<b>应用场景 Application</b>	<b>功能特点 Advantages</b>
客车 Buses	中置 12.3 寸全液晶仪表 Center-mounted 12.3-inch full LCD instrument cluster
工程机械 Construction Machinery Vehicles	右侧 12.3 寸触控屏 Right-side 12.3-inch touch screen
	按键开关标准化, 极低学习成本 Standardized switch position with minimal learning cost
	符合 VDV234 和 ISO16121-3 要求 VDV234 and ISO16121-3 compliance

### 技术参数 Parameters

工作电压 Voltage Range	额定电压 24V Nominal 24V
显示屏 Display	LCD12.3 吋 12.3-inch LCD
可接摄像头 Connectable cameras	最多 4 路 (倒挡, 门...) up to 4 (reverse gear. doors. ...)
操作开关 HMI	最多 47 个开关-支持个性化定义 (其中, 1 个危险报警灯和 4 个乘客门开关必选) Up to 47 Keys - they can be personalized (of which: 1 for hazard flasher and 4 for the doors)
灯光组合开关 Lights control rotary switch	1
左侧组合开关 Left lever	转向灯, 远光灯等 Direction lights, high beams
右侧组合开关 Right lever	雨刷控制开关 windshield wipers controls
转向管柱 Steering column	支持多向调节功能, 符合 VDV234, 可选装转角传感器 with multiple position adjusting movement, according to VDV234. Optional: with SAS interface
点火锁 Ignition Key with safety lock on steering column	1

可调出风口 Adjustable air flow grids	2
输入和唤醒通道 Inputs and Wake-up function	最多 107 up to 107
输出通道 Outputs	最多 68 up to 68
通讯接口 Interfaces	6 路 CAN 线, 1 路 LIN 6 CAN, 1LIN
法律法规符合性 Approvals and Directives	R10, R118,VDV 234

### 外形尺寸 Dimensions



### 应用案例 Application Cases



宇通客车 Yutong Bus



中通客车 Zhongtong Bus